

TENNIS NETS

Assured Quality

All Tennis nets meet USTA requirements for official size (42' x 3'6"). Netting is 1-3/4" square mesh braided polyethylene unsurpassed for durability and weather resistant. Headbands, vinyl bottom tape and side pockets are polyester based and won't shrink, mildew or rot when exposed to the elements. All headbands have

been lock sewn with 4 rows of 32# white polyester thread and the side and bottom tapes double lock stitched with black polyester thread. Unless specified differently all nets include 1/2" Fiberglass side dowels, lacing cord and heavy duty vinyl coated cable.

Championship Tennis Nets




- TN-45 (order # 20045)**
- Double thick 100% Polyester Headband weight 48 oz.
 - Plays like canvas a True Net Cord Bounce
 - 3.5mm Braided Polyethylene Netting 325# B/S
 - Championship 5 Year Limited Warranty



- TN-36DM (order # 20038)**
- Vinyl Coated Polyester 2 Ply Headband weight 65 oz. (20 oz./sq. yd.)
 - 3.5mm Braided Polyethylene Netting 325# B/S
 - Top 6 Rows Double Mesh
 - Championship 5 Year Limited Warranty



- TN-36 (order # 20036)**
- Vinyl Coated Polyester 2 Ply Headband weight 65 oz. (20 oz./sq. yd.)
 - 3.5mm Braided Polyethylene Netting 325# B/S
 - Championship 5 Year Limited Warranty



- TN-30DM (order # 30030)**
- Vinyl Coated Polyester 2 Ply Headband weight 65 oz. (20 oz./sq. yd.)
 - 3.0mm Braided Polyethylene Netting 285# B/S
 - Top 6 Rows Double Mesh
 - Tournament 4 Year Limited Warranty

TAPER (order # 20062)

All Champion Tennis Nets can be bottom fit by tapering the 42" ends to 36" at center.

Tournament Tennis Nets

TN-30 (order # 20030)

- Vinyl Coated Polyester 2 Ply Headband weight 65 oz. (20 oz./sq. yd.)
- 3.0mm Braided Polyethylene Netting 285# B/S
- Tournament 4 Year Limited Warranty



TN-28 (order # 20028)

- Vinyl Coated Polyester Headband weight 65 oz. (28 oz./sq. yd.)
- 3.0mm Braided Polyethylene Netting 285# B/S
- 5/8" Hardwood Dowels
- Tournament 4 Year Limited Warranty



TN-28DM (order # 30060)

- Durable Polyester Web Headband
- 3.0mm Braided Polyethylene Netting 285# B/S
- Top 6 Rows Double Mesh
- Tournament 4 Year Limited Warranty



Recreation Tennis Nets

TN-16 (order # 30015)

- Vinyl Coated Polyester Headband weight 32 oz.
- 2.6mm Braided Polyethylene Netting 210# B/S
- 5/8" Hardwood Dowels
- Recreation 2 Year Limited Warranty



Single Tennis Nets (33' x 3'6"), Paddle Tennis Nets (22'6" x 31") and Platform Nets (23' x 3') are also available.

NET ACCESSORIES



PROCAM ACS (# 20625)

VELCRO ACS (# 30602)

CLASSIC ACS (# 30603)

ECONOMY ACS (# 30600)

DELUXE ACS (# 20600)

Adjustable Center Straps

All straps are made from heavy duty 2" polyester white web, nickel plated web slides and snaps.

PROCAM ACS (order # 20625)

2" cam buckle, with swivel loop bolt snap.

VELCRO ACS (order # 30602)

Velcro adjustment, with swivel loop bolt snap.

CLASSIC ACS (order # 30603)

Non-slip reverse web slide with double ended snap.

ECONOMY ACS (order # 30600)

DELUXE ACS (order # 20600)

Non-slip reverse web slide with swivel loop bolt snap.



LOOP SNAP (order # 10601)

2" replacement loop snap.

DOUBLE SNAP (order # 10604)

Double ended bolt replacement snap.

Lacing Cord

TNLC (order # 10338)

Tennis net lacing cord; 2 pieces of 4mm white polyester braided cord 4' long and 2 pieces 3mm braided polyethylene 15' long.



10338



10337

CORD 3mm (order # 10337)

3mm braided polyethylene 500' spool

Singles Stick

SINGLES STICK (order # 34753)

Deluxe all aluminum with cap and foot.

DOWEL FRP (order # 15110)

1/2" Fiberglass

DOWEL WOOD (order # 10318)

5/8" Hardwood



Singles Stick

Dowel Wood

Dowel FRP

Replacement Cable



RVC-47

RVC-47 (order # 20647)

47' galvanized steel cable 5/32" vinyl coated to 1/4" looped each end.

Replacement Headband

HB-42 (order # 30042)


Heavy duty polyester web lacing eyelets on 6" centers, includes lacing cord.



HB-42

Check out our web site: www.douglas-sports.com

DOUGLAS WINDSCREENS



PolyPro +

MATERIAL SPECIFICATIONS

Fabric: 100% polypropylene
 OMP: Open - 28 x 14 leno weave
 CMP: Closed - 30 x 16 weave


Windbreak: Open mesh - 80%
 Closed mesh - 95%

Weight per square yard
 Open mesh - 6.0 oz.
 Closed mesh - 7.0 oz.

Tensile Strength: Open - 299 x 204

Colors: Dark Green (Standard) or Black

Warranty: 3 year limited



VCP

MATERIAL SPECIFICATIONS

Fabric: 50% vinyl, 50% polyester
 VCP: Open - 9 x 12 weave
 CVCP: Closed - 12 x 14 weave

Windbreak: Open weave - 80%
 Closed weave - 95%

Weight per square yard
 Open mesh - 7.0 oz.
 Closed mesh - 8.0 oz.

Tensile Strength: Open mesh 230 x 200
 Closed 360 x 230

Colors: Dark Green (Standard) or Black
 (Navy Blue, Brown, Royal Blue & Terra Cotta in open weave only)

Warranty: 3 year limited



The Windscreen Advantage

Windscreens are an attractive and functional way to eliminate bothersome noise and visual distractions. With these two adverse elements removed concentration and level of play improves.

Douglas offers you more choices, better service, superior fabrication and attention to detail that is unsurpassed in the industry.

Why Douglas?

For strength and durability, Douglas windscreens feature these unmatched industry standards: Douglas extra strong hems are constructed with 28 oz. vinyl inserts double sewn to 1 1/2" wide (Figure 1). All Douglas Hems include #2 brass grommets spaced on 18" intervals. Douglas Windscreens are available in standard 6' and 9' heights and in custom heights (by quotation). All 9' Douglas screens include as standard, Center Reinforcement Tape (CRT) with grommets for anti-billowing installation (Figure 3).

Optionally, 9' screens may substitute a Center Tab hem construction (Figure 4) for anti-billowing installation. Other Douglas Windscreen options include: air vents with reinforced edges (AVR) or die cut (AV) as shown below, four ply hems; (R) constructed with 18 oz. vinyl overlay and #2 brass grommets spaced every 12" (figure 2). All Windscreen options must be specified when ordering.




Figure 1




Figure 2




Figure 3




Figure 4

Options



AVR - AIR VENTS (order # 21002)
 Reinforced with webbing at edges.



AV - AIR VENTS (order # 21001)
 Die-cut and heat sealed (not recommended for polypropylene).



Check out our web site: www.douglas-sports.com

Considerations

- Screens are available in standard 6' or 9' heights. Custom heights are available by quotation.
- Make sure the fence is well anchored and in good condition before installing windscreens.
- Any screen width is available, however, 60' is the maximum recommended width per panel.
- Standard color on windscreens is dark green. Other colors must be specified.

Installation Accessories

TR-50 (order # 31650)
7" Ty-rap 50 lb. break strength with metal insert

TR-50XL (order # 31651)
12" Ty-rap 50 lb. break strength

TR-50P (order # 31656)
7" Tie wrap 50 lb. break strength with plastic insert

TR-120 (order # 31654)
8.5" ty-rap 120 lb. break strength with metal insert

TR-120XL (order # 31655)
Extra long 13.5" ty-rap 120 lb. break strength

TR120P (order # 31657)
Tie wrap 120 lb. break strength with plastic insert



SH-3 (order # 31663)
3" galvanized "S" hooks

BNC (order # 31600)
Braided lacing cord 600' reels

BLR (order # 31601M)
Braided lacing rope black poly 3/16" 1000' reels 550 lb. break strength

C-3P (order # 32675)
3" plastic C-snap


Personalized Windscreen Custom Made for You

Douglas VCP Windscreen can display your logo, mascot or name.

We can apply your logo in your choice of different colors. Fast, professional service. Call or write for details.



Weathascreen



What makes Weathascreen so unique is its locked-spring knitted construction - IT'S NOT WOVEN! Weathascreen fabric is formulated of double-thick Monolon that's fray resistant. It distributes stress loads evenly, is light weight for easy storage and transportation, and has features like:

- High tensile strength (15 times the tear resistance of woven cloth, won't unravel)
- Superior ultra-violet stability
- Resistant to abrasion, mildew, and chemicals
- Ease of installation
- No grommets necessary
- Reduces visual intrusion and helps eliminate glare

Color: Dark Green

WS-72 6' high x 120' (order # 30006)

WS-108 9' high x 120' (order # 30009)

Numbers

Court numbers from 1 to 20 are available with white numbers on a dark green background. Numbers are 8" x 10" high. Specify numbers desired, please. (order # 34756)

